AAC 155 SOFT DUO

PRODUCT FACT SHEET





AAC 155 SOFT DUO


DESIGN BY HEE WELLING & HAY, 2021

The AAC 155 Soft Duo counterbalances its soft quilted shell and contrasting materials with the high functionality and modern expression of the task chair's five-legged castor base. Retaining the same high backrest and generous seat that characterises the series, the base is designed with a tilting mechanism and a gas lift that can adjust the seat height. The base is available in polished or powder-coated aluminium, and the quilted shell is offered with two different textiles or leathers to create a unique look that works equally well in corporate, public, or private contexts.

HIGHLIGHTS

- · Part of a multi-functional family of dining and conference chairs, office chairs, bar stools, lounge chairs, tables, an ottoman and a sofa.
- ·Soft guilted upholstery in selected fabric and leather combinations on front and back.
- · Variety of textiles and base finishes.
- ·The 5-legged base is equipped with a semi-automatic gas lift and a tilt mechanism.
- · Adjustable seat height varies from 44 to 56 cm.
- ·Tilt range 10° backwards and 4° forwards.
- ·Other base options are: 4-star swivel base, moulded plywood base and 4-leg steel tube base.
- ·Other upholstery options are: a non-quilted full upholstery in a large selection of fabrics and leathers or a soft quilted version with added wadding in a large selection of fabrics and leathers.
- · Suitable for a wide variety of private and public environments.
- · Qualified for contract use.

DIMENSIONS



WIDTH 62 CM | 24.41" DEPTH 63 CM | 24.80" HEIGHT 88-100 CM | 34.65"-39.37" SEAT HEIGHT 44-56 CM | 17.32"-22.05" SEAT DEPTH 45 CM | 17.72"

MATERIALS

Full upholstered.

SHELL 10 mm injection moulded polypropylene with 10% glass fibre. FOAM

15 mm cut foam, 15 mm super soft cut foam and 40 mm wadding.

RASE

5-star swivel base in cast aluminium with soft wheels, gas lift and tilt mechanism.

WHFFLS

Soft black wheels, Standard on all Suitable for all floorings.

OPTIONS

CMHR foam (fire retardant).

CONSTRUCTION

5-star cast aluminium base with wheels mounted to a morse plate of cast aluminium with a steel assembly plate, plastic cover and a lever. With gas lift piston, swivel function and tilt mechanism.

COUNTRY OF ORIGIN

Poland

BASE COLOUR & FINISH

Please note that the colour codes are indicative.







POLISHED ALUMINIUM

FABRIC & LEATHER COMBINATIONS

FRONT	BACK	FRONT	BACK
MODE 014	REMIX 233	MODE 008	SILK GREY SIL0855
MODE 026	LOLA ROSE	FAIRWAY DARK BLUE 308-288	SILK BLACK SIL0842
REMIX 852	STEELCUT TRIO	STEELCUT TRIO 446	SILK COGNAC SIL0250
DIVINA MELANGE 120	MODE 008	STEELCUT TRIO 226	SILK CHESTNUT SIL0229
OLAVI BY HAY	STEELCUT TRIO 213	OLAVI BY HAY	SILK BLACK SIL0842
OLAVI BY HAY	LOLA NAVY	FLAMIBER PETROL BLUE J4	SILK BLACK SIL0842
MODE 005	DOT 1682 03 ANTRACITE	MODE 021	SILK COGNAC SIL0250
DOT 1682 02 BIANCO/NERO	REMIX 152	BOLGHERI LGG60	SILK COGNAC SIL0250
HALLINGDAL 116	REMIX 133	BOLGHERI LGG60	SILK NOUGAT SIL0258
REMIX 433	SILK COGNAC SIL0250	HALLINGDAL 166	SILK BLACK SIL0842
REMIX 373	SILK DARK BROWN SIL0329		

FABRIC & LEATHER COMBINATIONS AVAILABLE IN UK

FRONT		BACK	FRONT		BACK
MODE FR 014		REMIX 233	MODE FR 008		SILK GREY SIL0855
REMIX 852		STEELCUT TRIO	FAIRWAY DARK BLUE 308-288		SILK BLACK SIL0842
DIVINA MELANGE		MODE FR 008	STEELCUT TRIO 446		SILK COGNAC SIL0250
OLAVI BY HAY		STEELCUT TRIO 213	STEELCUT TRIO 226		SILK CHESTNUT SIL0229
OLAVI BY HAY FR		ICE FR MARINE 24	OLAVI BY HAY FR		SILK BLACK SIL0842
MODE FR 005		DOT 1682 03 ANTRACITE	MODE FR 021		SILK COGNAC SIL0250
DOT 1682 02 BIANCO/NERO		REMIX 152	BOLGHERI LGG60	h	SILK COGNAC SIL0250
HALLINGDAL 116		REMIX 133	BOLGHERI LGG60		SILK NOUGAT SIL0258
REMIX 433		SILK COGNAC SIL0250	HALLINGDAL 166		SILK BLACK SIL0842
REMIX 373	00	SILK DARK BROWN SIL0329			

SUSTAINABILITY

HAY focuses on developing long-lasting products that minimise our environmental impact. We optimise the use of sustainable materials such as recycled materials, FSC-certified wood and water-based lacquer, with a growing number of eco-certified products. We have strict regulatory requirements, and the majority of our products are tested to comply with international standards for strength, durability and safety.

LINK TO ENVIRONMENTAL PROFILE

TESTS

EN 16139:2013
Furniture–Strength, durability and safety–Requirements for non-domestic seating.
L1: General use–Loading according to Test severity L1.
In process

WARRANTY

HAY provides a 5-year product warranty.

Please contact the HAY sales team for further information about the warranty terms and conditions.

CARE & MAINTENANCE

Our Care & Maintenance offers guidance for optimal maintenance of your HAY product. It includes advice and instructions on cleaning and caring for specific materials to prolong the life of your furniture. Find the guide at hay.com.

LINK TO CARE & MAINTENANCE

DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Image Bank at hay.com.

LINK TO IMAGE BANK